

Date : 2024-11-12

CERTIFICATE OF ANALYSIS - GC PROFILING

SAMPLE IDENTIFICATION

Internal code : 24J29-PTH01

Customer Identification : Australian Sandalwood - Australia - S20113R

Type : Essential Oil

Source : *Santalum spicatum*

Customer : Plant Therapy

Checked and approved by:

Alexis St-Gelais, Ph. D., Chimiste 2013-174

Notes: This report may not be published, including online, without the written consent from Laboratoire PhytoChemia. This report is digitally signed, it is only considered valid if the digital signature is intact. The results only describe the samples that were submitted to the assays.



GAS CHROMATOGRAPHIC ANALYSIS

Method : PC-MAT-014 - Analysis of the composition of an essential oil or other volatile liquid by FAST GC-FID



Results : See analysis summary (next page)

Analyst : Alexis St-Gelais, Ph. D., Chimiste 2013-174

Date : 2024-11-12

PHYSICOCHEMICAL DATA

Refractive index : 1.5072 ± 0.0003 (20 °C)

Method : PC-MAT-016 - Measure of the refractive index of a liquid.

Analyst : Cindy Caron B. Sc.

Date : 2024-10-31

CONCLUSION

No adulterant, contaminant or diluent has been detected using this method.

ANALYSIS SUMMARY - CONSOLIDATED CONTENTS

New readers of similar reports are encouraged to read table footnotes at least once.

Identification	%	Class
Santene	0.05	Normonoterpene
Unknown	0.01	Normonoterpene
Tricyclene	0.01	Monoterpene
Limonene	0.01	Monoterpene
para-Cymenene	0.01	Monoterpene
Unknown	0.01	Unknown
1-Methyl-4-(1-methylpropyl)benzene	0.01	Terpene derivative
Limona ketone	0.01	Normonoterpenic ketone
4-Methylacetophenone	0.01	Simple phenolic
Dihydroalbene	0.01	Terpene derivative
Unknown	0.09	Terpene derivative
Teresantalic acid	0.33	Monoterpnic acid
Unknown	0.10	Terpenic aldehyde
Tricycloekasantalal	0.26	Terpenic aldehyde
(1S,5S,6R)-2,6-Dimethylbicyclo[3.1.1]hept-2-ene-6-propanal?	0.06	Terpenic aldehyde
7-epi-Sesquithujene	0.04	Sesquiterpene
γ-4-Dimethylbenzenebutyral	0.09	Simple phenolic
α-Cedrene	0.22	Sesquiterpene
Sesquithujene	0.09	Sesquiterpene
β-Cedrene	0.04	Sesquiterpene
cis-α-Bergamotene	0.07	Sesquiterpene
α-Santalene	0.87	Sesquiterpene
trans-α-Bergamotene	0.29	Sesquiterpene
Unknown	0.01	Sesquiterpene
epi-β-Santalene	0.57	Sesquiterpene
Geranylacetone	0.08	Monoterpnic ketone
α-Acoradiene	0.12	Sesquiterpene
(E)-β-Farnesene	0.09	Sesquiterpene
β-Santalene	0.95	Sesquiterpene
β-Acoradiene	0.05	Sesquiterpene
10-epi-β-Acoradiene	0.08	Sesquiterpene
γ-Curcumene	0.23	Sesquiterpene
Unknown	0.21	Sesquiterpene
β-Selinene	0.10	Sesquiterpene
α-Curcumene	0.95	Sesquiterpene
α-Selinene	0.06	Sesquiterpene
Unknown	0.21	Sesquiterpene
Unknown	0.04	Sesquiterpene
α-Alaskene	0.04	Sesquiterpene

β -Bisabolene	0.25	Sesquiterpene
β -Curcumene	0.48	Sesquiterpene
(3E,6E)- α -Farnesene	0.13	Sesquiterpene
Sesquicineole	0.08	Sesquiterpenic ether
β -Sesquiphellandrene	0.17	Sesquiterpene
(E)- γ -Bisabolene	0.03	Sesquiterpene
8,14-Cedranoxide	0.06	Sesquiterpenic ether
(E)- α -Bisabolene	0.09	Sesquiterpene
(E)-Nerolidol	2.47	Sesquiterpenic alcohol
Unknown	0.09	Oxygenated sesquiterpene
Unknown	0.14	Oxygenated sesquiterpene
Dendrolasin	1.09	Sesquiterpenic ether
Unknown	0.07	Oxygenated sesquiterpene
Unknown	0.09	Oxygenated sesquiterpene
Helifolen-12-al A	0.12	Sesquiterpenic aldehyde
α -Cedrol	0.20	Sesquiterpenic alcohol
Guaiol	0.23	Sesquiterpenic alcohol
Helifolen-12-al B	0.13	Sesquiterpenic aldehyde
Unknown	0.20	Oxygenated sesquiterpene
Rosifolol	0.23	Sesquiterpenic alcohol
α -Acorenol	0.21	Sesquiterpenic alcohol
β -Acorenol	0.21	Sesquiterpenic alcohol
10-epi- β -Acorenol?	0.10	Sesquiterpenic alcohol
β -Eudesmol	0.18	Sesquiterpenic alcohol
Unknown	0.52	Oxygenated sesquiterpene
α -Bisabolol oxide B, epimer 1	0.16	Sesquiterpenic alcohol
Unknown	0.84	Oxygenated sesquiterpene
Unknown	0.74	Oxygenated sesquiterpene
Bulnesol	0.24	Sesquiterpenic alcohol
epi- β -Bisabolol	1.62	Sesquiterpenic alcohol
(E)- α -Santalal	1.46	Sesquiterpenic aldehyde
β -Bisabolol	0.31	Sesquiterpenic alcohol
epi-Cyclosantalal	0.36	Sesquiterpenic aldehyde
Cedr-8-en-13-ol	1.00	Sesquiterpenic alcohol
(Z)- α -Santalol	19.39	Sesquiterpenic alcohol
α -Bisabolol	0.49	Sesquiterpenic alcohol
epi- α -Bisabolol	4.59	Sesquiterpenic alcohol
(Z)- α -trans-Bergamotol	3.39	Sesquiterpenic alcohol
(E)- α -Santalol	0.61	Sesquiterpenic alcohol
Unknown	0.23	Oxygenated sesquiterpene
Lanceoloxide isomer I	0.20	Sesquiterpenic ether
(Z)-epi- β -Santalol	1.85	Sesquiterpenic alcohol
(E)- α -trans-Bergamotol	1.03	Sesquiterpenic alcohol
(Z)- β -Santalol	6.81	Sesquiterpenic alcohol
Unknown	0.11	Oxygenated sesquiterpene

Unknown	0.80	Oxygenated sesquiterpene
(2E,6E)-Farnesol	5.95	Sesquiterpenic alcohol
(Z)-Nuciferol	10.40	Sesquiterpenic alcohol
(Z)-γ-Curcumene-12-ol	3.61	Sesquiterpenic alcohol
Unknown	0.99	Oxygenated sesquiterpene
(2E,6E)-Farnesal	0.21	Sesquiterpenic aldehyde
(E)-β-Santalol	0.39	Sesquiterpenic alcohol
Unknown	1.12	Oxygenated sesquiterpene
Curcumene-12-ol analog	0.86	Sesquiterpenic alcohol
Unknown	0.85	Oxygenated sesquiterpene
(Z)-β-Curcumene-12-ol	3.26	Sesquiterpenic alcohol
(Z)-Lanceol	2.21	Sesquiterpenic alcohol
12-Hydroxy-(Z)-sesquicineole	0.20	Sesquiterpenic alcohol
Unknown	0.87	Oxygenated sesquiterpene
Unknown	0.77	Oxygenated sesquiterpene
Unknown	0.35	Unknown
Unknown	0.11	Oxygenated sesquiterpene
Bisabola-2,7(Z),10(Z)-trien-13-ol?	0.72	Oxygenated sesquiterpene
Unknown	0.36	Oxygenated sesquiterpene
Unknown	0.06	Oxygenated sesquiterpene
Unknown	0.10	Oxygenated sesquiterpene
Unknown	0.08	Oxygenated sesquiterpene
Unknown	0.05	Oxygenated sesquiterpene
(2E,6E)-Farnesyl acetate	0.07	Sesquiterpenic ester
Unknown	0.20	Oxygenated sesquiterpene
Unknown	0.02	Oxygenated sesquiterpene
Unknown	0.06	Oxygenated sesquiterpene
Unknown	0.12	Oxygenated sesquiterpene
Consolidated total	94.28	

tr: The compound has been detected below 0.005% of the total signal


Note: no correction factor was applied


About "consolidated" data: The table above presents the breakdown of the sample volatile constituents after applying an algorithm to collapse data acquired from the multi-columns system of PhytoChemia into a single set of consolidated contents. In case of discrepancies between columns, the algorithm is set to prioritize data from the most standard DB-5 column, and smallest values so as to avoid overestimating individual content. This process is semi-automatic. Advanced users are invited to consult the "Full analysis data" table after the chromatograms in this report to access the full untreated data and perform their own calculations if needed.

Unknowns: Unknown compounds' mass spectral data is presented in the "Full analysis data" table. The occurrence of unknown compounds is to be expected in many samples, and does not denote particular problems unless noted otherwise in the conclusion.

Bracketed value ([xx]): A bracketed percent value indicate that two or more compound percentage could not be solved due to coelution.

This page was intentionally left blank. The following pages present the complete data of the analysis.





FULL ANALYSIS DATA

Santene	Column DB-WAX			Column DB-5		
	1.20	951.8	0.05	2.47	882.9	0.05
Unknown ABBA I [m/z 79, 93 (66), 94 (52), 91 (39), 77 (37), 122 (31)]				2.66	898.9	0.01
Tricyclene	1.36	975.6	0.01	2.94	918.7	0.01
Limonene	3.37	1161.0	0.01	4.59	1026.6	0.01
para-Cymenene	6.51	1386.8	0.02	5.56	1087.4	0.01
Unknown PIMA 3 [m/z 79, 94 (87), 77 (25), 91 (21), 93 (16), 95 (12), 138 (8)]				5.78	1101.2	0.01
1-Methyl-4-(1-methylpropyl)benzene				5.82	1104.1	0.01
Limona ketone	7.96	1495.1	0.01	6.19	1127.4	0.01
4-Methylacetophenone	10.62	1706.7	0.03	6.96	1176.5	0.01
Dihydroalbene				7.11	1186.4	0.01
Unknown SASP II [m/z 93, 91 (89), 94 (85), 105 (60)... 176? (10)]	9.44	1610.8	0.08	7.57	1216.6	0.09
Teresantalic acid				8.62	1286.8	0.33
Unknown SASP III [m/z 121, 93 (77), 79 (43), 91 (43), 145 (35)... 178 (8)]				9.19	1325.8	0.10
Tricycloksantalal (1S,5S,6R)-2,6-Dimethylbicyclo[3.1.1]hept-2-ene-6-propanal?	10.53*†	1699.3	[0.51]	9.27	1331.9	0.26
7-epi-Sesquithujene	10.49	1695.5	0.05	9.49	1347.2	0.06
γ-4-Dimethylbenzenebutyral	8.02	1499.5	0.03	10.09	1389.6	0.04
α-Cedrene				10.19	1396.4	0.09
Sesquithujene	8.24	1516.5	0.22	10.30*	1404.7	[0.30]
β-Cedrene	8.36	1525.4	0.09	10.30*	1404.7	[0.30]
cis-α-Bergamotene	8.59	1543.4	0.04	10.41*	1412.6	[0.10]
α-Santalene	8.46*	1533.3	[0.93]	10.41*	1412.6	[0.10]
trans-α-Bergamotene	8.46*	1533.3	[0.93]	10.48	1417.5	0.87
Unknown SASP IV [m/z 93, 91 (80), 79 (68), 123 (68), 121 (56)... 204 (3)]				10.70	1433.9	0.29
epi-β-Santalene	8.66	1549.0	0.36	10.79	1441.1	0.01
Geranylacetone				10.84	1444.5	0.57
α-Acoradiene	9.58	1621.4	0.24	10.94	1452.3	0.08
(E)-β-Farnesene	9.76	1636.4	0.09	10.98	1455.2	0.12
β-Santalene	9.40	1606.7	0.95	11.01*	1457.6	[1.04]

β -Acoradiene	9.65	1627.4	0.09	11.07	1461.5	0.05
10-epi- β -Acoradiene	9.78	1638.5	0.07	11.16	1468.8	0.08
γ -Curcumene	9.93	1650.4	0.26	11.30	1478.5	0.23
Unknown SASP V [m/z 119, 91 (24), 105 (16), 121 (16), 93 (15), 117 (15), 41 (14), 132 (14)... 204 (4)]				11.30	1479.0	0.21
β -Selinene	10.10	1663.7	0.10	11.33*	1481.1	[1.04]
α -Curcumene	10.88	1728.6	0.95	11.33*	1481.1	[1.04]
α -Selinene	10.17	1670.1	0.05	11.44	1489.3	0.06
Unknown SASP VII [m/z 119, 93 (52), 105 (38), 91 (33), 41 (31), 79 (25)... 204 (2)]	12.19*	1841.9	[0.43]	11.55	1497.4	0.21
Unknown CULO XII [m/z 119, 91 (14), 120 (10), 117 (9)... 200? (2)]	12.09	1833.2	0.04	11.61	1502.2	0.04
α -Alaskene	10.19	1671.7	0.03	11.65	1504.7	0.04
β -Bisabolene	10.38	1686.6	0.22	11.68	1507.4	0.25
β -Curcumene	10.53*†	1699.3	[0.51]	11.72*	1510.5	[0.61]
(3E,6E)- α -Farnesene	10.72	1715.2	0.13	11.72*	1510.5	[0.61]
Sesquicineole	10.51*†	1697.4	[0.11]	11.78	1515.4	0.08
β -Sesquiphellandrene	10.84	1725.8	0.12	11.86	1521.8	0.17
(E)- γ -Bisabolene	10.66	1710.4	0.02	11.96	1529.4	0.03
8,14-Cedranoxide	11.75	1803.3	0.05	12.04	1535.6	0.06
(E)- α -Bisabolene	10.94	1733.9	0.07	12.12	1541.9	0.09
(E)-Nerolidol	13.96	2003.5	2.46	12.42	1565.2	2.47
Unknown SASP VIII [m/z 43, 125 (78), 107 (43), 132 (34), 67 (31)... 220 (3)]	12.19*	1841.9	[0.43]	12.45	1567.9	0.09
Unknown SASP IX [m/z 43, 125 (91), 107 (39), 41 (24), 67 (24), 93 (21)... 220 (4)]	12.26	1848.7	0.18	12.48	1570.6	0.14
Dendrolasin	12.74	1890.9	1.11	12.52	1573.0	1.09
Unknown COGU XII [m/z 93, 121 (68), 123 (45), 91 (41), 119 (32), 79 (30)...220 (9)]				12.66	1584.1	0.07
Unknown SAUN II [m/z 119, 105 (38), 218 (37), 91 (35), 135 (34), 84 (31), 132 (29)]	13.31	1943.2	0.09	12.70*	1587.6	[0.24]
Helifolen-12-al A	13.06	1920.0	0.12	12.70*	1587.6	[0.24]
α -Cedrol	14.40	2046.3	0.20	12.78*	1593.5	[0.34]
Guaiol	14.31	2037.1	0.23	12.78*	1593.5	[0.34]
Helifolen-12-al B	13.42	1953.6	0.09	12.86	1600.2	0.13

Unknown SASP X [m/z 81, 41 (40), 69 (36), 138 (27), 43 (26), 110 (25)... 222 (1)]			12.96	1608.4	0.20	
Rosifolol	14.48	2054.2	0.19	13.09	1619.0	0.23
α -Acorenol	14.62	2067.7	0.22	13.13	1622.5	0.21
β -Acorenol	15.05	2108.8	0.64	13.18	1626.1	0.21
10-epi- β -Acorenol?				13.36	1641.3	0.10
β -Eudesmol	15.54	2158.4	0.21	13.38	1642.7	0.18
Unknown SASP XI [m/z 91, 43 (89), 93 (84), 81 (81), 105 (79), 79 (70), 67 (68), 41 (68)...]				13.41	1645.5	0.52
α -Bisabolol oxide B, epimer 1	14.64	2069.4	0.32	13.47	1650.5	0.16
Unknown SAAL V [m/z 121, 93 (96), 95 (96), 41 (65), 82 (63), 69 (62), 67 (59)... 222 (8)]	14.51	2056.4	0.61	13.51	1653.3	0.84
Unknown SAAL VI [m/z 67, 119 (70), 82 (42), 91 (37), 95 (36), 121 (34), 93 (32)...]				13.60*†	1660.8	[0.77]
Bulnesol	15.46	2149.8	0.24	13.60*†	1660.8	[0.77]
epi- β -Bisabolol	14.95*	2099.1	[1.93]	13.64	1664.6	1.62
(E)- α -Santalal	14.89	2093.0	1.46	13.69*	1668.1	[2.52]
β -Bisabolol	14.95*	2099.1	[1.93]	13.69*	1668.1	[2.52]
epi-Cyclosantalal	14.82	2086.6	0.36	13.69*	1668.1	[2.52]
Cedr-8-en-13-ol	17.03	2311.6	1.00	13.81*	1678.8	[20.62]
(Z)- α -Santalol	16.82	2289.2	19.39	13.81*	1678.8	[20.62]
α -Bisabolol				13.87	1683.7	0.49
epi- α -Bisabolol	15.62	2166.2	4.39	13.91	1686.6	4.59
(Z)- α -trans-Bergamotol	16.91	2299.3	3.47	13.97	1691.9	3.39
(E)- α -Santalol	17.14	2324.1	0.47	14.01	1695.1	0.61
Unknown SASP XII [m/z 43, 93 (68), 41 (61), 69 (58), 125 (54), 107 (50)...]				14.02	1696.2	0.23
Lanceoloxide isomer I				14.06	1698.9	0.20
(Z)-epi- β -Santalol	17.40	2351.3	1.76	14.09	1701.8	1.85
(E)- α -trans-Bergamotol	17.94	2411.0	0.96	14.16	1707.2	1.03
(Z)- β -Santalol	17.54	2366.6	6.81	14.27*	1717.3	[7.14]
Unknown SASP XIV [m/z 43, 189 (94), 81 (65), 93 (62), 95 (53), 119 (49)... 207 (43)...]	15.82	2186.6	0.11	14.27*	1717.3	[7.14]
Unknown ZIOF XXXIX [m/z 119, 91 (31), 105 (29), 41 (25), 133 (23), 158 (21)...]	17.00*	2308.4	[7.97]	14.33	1722.6	0.80

(2E,6E)-Farnesol	17.00*	2308.4	[7.97]	14.39*†	1727.7	[17.29]
(Z)-Nuciferol	18.39	2461.1	10.40	14.39*†	1727.7	[17.29]
(Z)-γ-Curcumene-12-ol	17.68	2382.2	3.61	14.40*†	1728.7	[2.66]
Unknown SAAL X [m/z 91, 93 (65), 79 (57), 105 (49), 119 (47), 121 (44)...218 (1)]	18.51	2474.0	0.99	14.52*	1738.6	[2.28]
(2E,6E)-Farnesal	16.00	2204.6	0.21	14.52*	1738.6	[2.28]
(E)-β-Santalol	17.86*†	2402.1	[0.67]	14.52*	1738.6	[2.28]
Unknown SAUN VII [m/z 119, 93 (73), 110 (64), 111 (62), 95 (50), 81 (45), 109 (943), 105 (43)... 220 (17), 238 (20)]	17.00*	2308.4	[7.97]	14.61	1746.2	1.12
Curcumene-12-ol analog	17.88*†	2404.3	[0.58]	14.63	1748.2	0.86
Unknown SAUN VIII [m/z 119, 93 (70), 111 (61), 110 (60), 109 (45), 95 (43)... 220 (17), 238 (16)]	16.64	2270.8	1.25	14.66	1751.3	0.85
(Z)-β-Curcumene-12-ol	18.11*	2429.0	[3.54]	14.73	1757.0	3.26
(Z)-Lanceol	18.15	2434.3	2.30	14.79	1762.0	2.21
12-Hydroxy-(Z)-sesquicineole				14.82	1764.9	0.20
Unknown SASP XV [m/z 93, 107 (80), 43 (74), 91 (55), 41 (49), 79 (48), 119 (48)... 236 (3)]				14.85	1767.8	0.87
Unknown SASP XVI [m/z 93, 119 (89), 91 (63), 79 (63), 132 (53), 41 (52)... 236 (3)]	18.11*	2429.0	[3.54]	14.98	1778.5	0.77
Unknown EUCA V [m/z 159, 43 (40), 202 (21), 91 (19), 79 (18), 131 (17)...]				15.06	1785.3	0.35
Unknown SASP XVII [m/z 107, 93 (96), 79 (90), 55 (78), 41 (76)... 236 (6)]				15.09	1788.2	0.11
Bisabola-2,7(Z),10(Z)-trien-13-ol?	18.49	2471.4	0.72	15.14	1792.4	0.72
Unknown SASP XIX [m/z 119, 105 (78), 145 (60), 91 (50), 121 (44), 93 (38)... 216 (7)]				15.26	1802.6	0.36
Unknown SASP XX [m/z 119, 145 (62), 105 (52), 91 (52), 121 (38)...]				15.42	1817.6	0.06
Unknown SASP XXI [m/z				15.48	1823.1	0.10

43, 81 (61), 41 (49), 93 (47), 119 (39), 141 (35)...]					
Unknown SASP XXII [m/z 119, 43 (61), 132 (49), 105 (35), 141 (32)...]			15.54	1828.1	0.08
Unknown SASP XXIII [m/z 141, 43 (87), 123 (55), 81 (37)... 236 (t)]			15.60	1833.9	0.05
(2E,6E)-Farnesyl acetate	16.14	2218.7	0.08	15.68	1841.1
Unknown SAAU III [m/z 93, 43 (99), 109 (95), 68 (80), 95 (77), 81 (69), 110 (68)...220 (7)]	21.64	2849.2	0.18	16.56	1921.9
Unknown SAAU VI [m/z 43, 107 (24), 93 (23), 125 (23), 95 (23), 119 (23)...220 (1)]			16.75	1940.4	0.02
Unknown SAAU VII [m/z 43, 107 (23), 119 (23), 93 (22), 125 (22), 132 (22)...220 (1)]			16.78	1943.1	0.06
Unknown SAAU VIII [m/z 93, 94 (86), 91 (48), 121 (42), 79 (42), 107 (37)...218 (2)]			16.83	1947.5	0.12
Total reported		88.68%		95.71%	

*: Two or more compounds are coeluting on this column

[xx]: Duplicate percentage due to coelutions, only the first one is taken into account in the consolidated total

†: Peaks apexes were resolved, but peaks overlapped and were summed for analysis

tr: The compound has been detected below 0.005% of total signal.

Note: no correction factor was applied

R.T.: Retention time (minutes)

R.I.: Retention index