



Mission Mountain Laboratories, Inc.

82892 US Hwy 93
Ravalli, MT 59863
Phone: 406-726-5227
www.mm-labs.com



Accredited to ISO/IEC 17025:2017
Accreditation #86228

report #22013

Certificate of Analysis

Canyonside Labs
621 Washington St South
Suite 700
Twin Falls, ID
83301

Order ID: 2402096534
Lab Sample #: 43725769
Receive Date: 02/09/2024 12:18PM
Report ID: #22615

Sample Description: Boswellia Serrata Extract

Receive Condition: Good
Sample Lot #: 14229/24038018 **Storage Condition:** Ambient

Chemical Analysis	Result	Specification	Analyst	Date	Method
Boswellic Acid	66.3 %	NLT 65 %	Emily Woodward	02/15/2024	MML160.15

Method References

Method # MML160.15 **Desc** Determination of Boswellic Acid

Instrument Titration

Reference Rachh et al., Estimation of boswellic acid in S. compound capsule. Novel Science International Journal of Pharmaceutical Science (2012), 1(7): 403-404.

Approval

Approved By:

Kimberly Nuccio
President/Authorized Reviewer

Approved Date: 02/16/2024

Laboratory Location: 82892 US Hwy 93 N, Ravalli, MT 59863

Disclaimer: This product results are only applicable to test sample submitted. Mission Mountain Laboratory makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This certificate shall not be reproduced except in full, without the written approval of Mission Mountain Laboratories. Quality and uncertainty data is available upon request. Testing listed above may not be included in our current PJLA scope of accreditation. Please consult PJLA Certificate# 86228 for a list of current accredited tests.

Print Date: 02/16/2024