

Date : 2024-11-26

CERTIFICATE OF ANALYSIS - GC PROFILING

SAMPLE IDENTIFICATION

Internal code : 24K12-PTH02

Customer Identification : Cardamom - Guatemala - CA3111R

Type : Essential Oil

Source : *Elettaria cardamomum*

Customer : Plant Therapy

Checked and approved by:

Alexis St-Gelais, Ph. D., Chimiste 2013-174

Notes: This report may not be published, including online, without the written consent from Laboratoire PhytoChemia. This report is digitally signed, it is only considered valid if the digital signature is intact. The results only describe the samples that were submitted to the assays.



GAS CHROMATOGRAPHIC ANALYSIS

Method : PC-MAT-014 - Analysis of the composition of an essential oil or other volatile liquide by FAST GC-FID

*ISO

Results : See analysis summary (next page)

Analyst : Sylvain Mercier, M. Sc., Chimiste 2014-005

Date : 2024-11-19

PHYSICOCHEMICAL DATA

Refractive index : 1.4629 ± 0.0003 (20 °C)

Method : PC-MAT-016 - Measure of the refractive index of a liquid.

Analyst : Cindy Caron B. Sc.

Date : 2024-11-14

CONCLUSION

No adulterant, contaminant or diluent has been detected using this method.

ANALYSIS SUMMARY - CONSOLIDATED CONTENTS

New readers of similar reports are encouraged to read table footnotes at least once.

| Identification | % | Class |
|------------------------------------|-------|----------------------|
| Ethanol | tr | Aliphatic alcohol |
| Isovaleral | 0.02 | Aliphatic aldehyde |
| 2-Methylbutyral | 0.01 | Aliphatic aldehyde |
| Isoamyl alcohol | 0.01 | Aliphatic alcohol |
| 2-Methylbutanol | 0.01 | Aliphatic alcohol |
| Hexanal | 0.01 | Aliphatic aldehyde |
| Isoamyl acetate | tr | Aliphatic ester |
| 2-Methylbutyl acetate | tr | Aliphatic ester |
| α -Thujene | 0.23 | Monoterpene |
| α -Pinene | 1.63 | Monoterpene |
| α -Fenchene | 0.01 | Monoterpene |
| Camphepane | 0.03 | Monoterpene |
| β -Pinene | 0.41 | Monoterpene |
| Sabinene | 4.30 | Monoterpene |
| 6-Methyl-5-hepten-2-one | 0.07 | Aliphatic ketone |
| Myrcene | 2.17 | Monoterpene |
| α -Phellandrene | 0.02 | Monoterpene |
| Octanal | 0.12 | Aliphatic aldehyde |
| Δ^3 -Carene | 0.01 | Monoterpene |
| α -Terpinene | 0.19 | Monoterpene |
| <i>para</i> -Cymene | 0.12 | Monoterpene |
| Limonene | 2.66 | Monoterpene |
| 1,8-Cineole | 33.57 | Monoterpenic ether |
| (Z)- β -Ocimene | 0.03 | Monoterpene |
| (E)- β -Ocimene | 0.07 | Monoterpene |
| γ -Terpinene | 0.39 | Monoterpene |
| <i>cis</i> -Sabinene hydrate | 0.40 | Monoterpenic alcohol |
| <i>cis</i> -Linalool oxide (fur.) | 0.01 | Monoterpenic alcohol |
| Octanol | 0.04 | Aliphatic alcohol |
| Terpinolene | 0.15 | Monoterpene |
| 6,7-Epoxymyrcene | 0.04 | Monoterpenic ether |
| <i>trans</i> -Sabinene hydrate | 0.24 | Monoterpenic alcohol |
| Linalool | 2.55 | Monoterpenic alcohol |
| (E)-4,8-Dimethyl-1,3,7-nonatriene | 0.08 | Monoterpene |
| <i>cis-para</i> -Menth-2-en-1-ol | 0.04 | Monoterpenic alcohol |
| <i>cis</i> -Limonene oxide | 0.01 | Monoterpenic ether |
| <i>trans-para</i> -Menth-2-en-1-ol | 0.03 | Monoterpenic alcohol |
| Borneol | 0.02 | Monoterpenic alcohol |
| δ -Terpineol | 0.10 | Monoterpenic alcohol |
| Terpinen-4-ol | 0.94 | Monoterpenic alcohol |

| | | |
|---|-------|-----------------------|
| <i>para</i> -Cymen-8-ol | 0.02 | Monoterpenic alcohol |
| α -Terpineol | 1.38 | Monoterpenic alcohol |
| <i>cis</i> -Piperitol | 0.01 | Monoterpenic alcohol |
| (4Z)-Decenal | 0.04 | Aliphatic aldehyde |
| Decanal | 0.04 | Aliphatic aldehyde |
| Octyl acetate | 0.05 | Aliphatic ester |
| <i>cis</i> -Sabinene hydrate acetate? | 0.34 | Monoterpenic ester |
| <i>exo</i> -2-Hydroxycineole | 0.01 | Monoterpenic alcohol |
| <i>cis</i> -Carveol | 0.02 | Monoterpenic alcohol |
| Neral | 0.27 | Monoterpenic aldehyde |
| (2E)-Decenal | 0.01 | Aliphatic aldehyde |
| Geraniol | 0.97 | Monoterpenic alcohol |
| Linalyl acetate | 4.69 | Monoterpenic ester |
| Geranial | 0.36 | Monoterpenic aldehyde |
| Bornyl acetate | 0.03 | Monoterpenic ester |
| 2-Undecanone | 0.01 | Aliphatic ketone |
| (4E)-Undecenal | 0.03 | Aliphatic aldehyde |
| Terpinen-4-yl acetate | 0.03 | Monoterpenic ester |
| Geranyl formate | 0.02 | Monoterpenic ester |
| δ -Terpinyl acetate | 0.17 | Monoterpenic ester |
| Methyl geranate | 0.06 | Monoterpenic ester |
| δ -Elemene | 0.02 | Sesquiterpene |
| α -Terpinyl acetate | 37.83 | Monoterpenic ester |
| Neryl acetate | 0.02 | Monoterpenic ester |
| Geranyl acetate | 0.48 | Monoterpenic ester |
| Dodecenyl acetate isomer? | 0.04 | Aliphatic ester |
| Dodecenal isomer | 0.05 | Aliphatic aldehyde |
| β -Elemene | 0.04 | Sesquiterpene |
| β -Caryophyllene | 0.05 | Sesquiterpene |
| α -Terpinyl propionate | 0.07 | Monoterpenic ester |
| Unknown | 0.03 | Sesquiterpene |
| Geranylacetone | 0.02 | Monoterpenic ketone |
| 8-Acetoxy- <i>trans</i> - <i>para</i> -Menth-2-en-1-ol [2-(4-Hydroxy-4-methylcyclohex-2-enyl)propan-2-yl acetate] | 0.02 | Monoterpenic ester |
| Unknown ELCA XVII [m/z 43, 109 (32), 41 (22), 69 (21)...] | 0.01 | Unknown |
| Geranyl propionate | 0.01 | Monoterpenic ester |
| Germacrene D | 0.08 | Sesquiterpene |
| β -Selinene | 0.29 | Sesquiterpene |
| α -Selinene | 0.11 | Sesquiterpene |
| Unknown | 0.04 | Unknown |
| δ -Amorphene | 0.03 | Sesquiterpene |
| γ -Cadinene | 0.13 | Sesquiterpene |
| δ -Cadinene | 0.02 | Sesquiterpene |

| | | |
|---|--------------|--------------------------|
| Germacrene B | 0.08 | Sesquiterpene |
| (E)-Nerolidol | 0.67 | Sesquiterpenic alcohol |
| Dendrolasin | 0.01 | Sesquiterpenic ether |
| (3E,7E)-4,8,12-Trimethyl-1,3,7,11-tridecatetraene | 0.12 | Terpene derivative |
| Unknown | 0.01 | Oxygenated sesquiterpene |
| (2E,6Z)-Farnesal | 0.02 | Sesquiterpenic aldehyde |
| (2E,6E)-Farnesol | 0.04 | Sesquiterpenic alcohol |
| (2E,6E)-Farnesal | 0.04 | Sesquiterpenic aldehyde |
| γ-Bicyclohomofarnesal | 0.02 | Terpenic aldehyde |
| (2E,6E)-Farnesyl acetate | 0.02 | Sesquiterpenic ester |
| Coronarin E | 0.03 | Diterpene |
| Consolidated total | 99.78 | |

tr: The compound has been detected below 0.005% of the total signal


Note: no correction factor was applied


About "consolidated" data: The table above presents the breakdown of the sample volatile constituents after applying an algorithm to collapse data acquired from the multi-columns system of PhytoChemia into a single set of consolidated contents. In case of discrepancies between columns, the algorithm is set to prioritize data from the most standard DB-5 column, and smallest values so as to avoid overestimating individual content. This process is semi-automatic. Advanced users are invited to consult the "Full analysis data" table after the chromatograms in this report to access the full untreated data and perform their own calculations if needed.

Unknowns: Unknown compounds' mass spectral data is presented in the "Full analysis data" table. The occurrence of unknown compounds is to be expected in many samples, and does not denote particular problems unless noted otherwise in the conclusion.

Bracketed value ([xx]): A bracketed percent value indicate that two or more compound percentage could not be solved due to coelution.

This page was intentionally left blank. The following pages present the complete data of the analysis.





FULL ANALYSIS DATA

| Ethanol | Column DB-WAX | | | Column DB-5 | | |
|-----------------------------------|---------------|--------|---------|-------------|--------|---------|
| | 0.90 | 907.1 | tr | 0.33 | 499.8 | tr |
| Isovaleral | 0.82 | 887.7 | 0.02 | 0.63 | 641.5 | 0.02 |
| 2-Methylbutyral | 0.80 | 881.5 | 0.01 | 0.66 | 651.7 | 0.01 |
| Isoamyl alcohol | 3.51* | 1172.5 | [33.54] | 1.01 | 733.2 | 0.01 |
| 2-Methylbutanol | 3.51* | 1172.5 | [33.54] | 1.03 | 735.9 | 0.01 |
| Hexanal | 1.99 | 1043.9 | 0.01 | 1.50 | 800.7 | 0.01 |
| Isoamyl acetate | 2.44* | 1087.0 | [4.32] | 2.41 | 878.7 | tr |
| 2-Methylbutyl acetate | 2.44* | 1087.0 | [4.32] | 2.44 | 881.0 | tr |
| α-Thujene | 1.55 | 1002.3 | 0.24 | 3.05 | 926.4 | 0.23 |
| α-Pinene | 1.49 | 994.6 | 1.63 | 3.13 | 931.3 | 1.63 |
| α-Fenchene | 1.77 | 1023.3 | 0.01 | 3.32* | 943.9 | [0.04] |
| Camphepane | 1.84 | 1029.6 | 0.03 | 3.32* | 943.9 | [0.04] |
| β-Pinene | 2.25 | 1068.5 | 0.41 | 3.73* | 971.5 | [4.71] |
| Sabinene | 2.44* | 1087.0 | [4.32] | 3.73* | 971.5 | [4.71] |
| 6-Methyl-5-hepten-2-one | 5.21 | 1302.2 | 0.07 | 3.98 | 987.9 | 0.07 |
| Myrcene | 3.04 | 1136.1 | 2.19 | 4.07 | 993.4 | 2.17 |
| α-Phellandrene | 2.95 | 1128.8 | 0.02 | 4.20 | 1002.5 | 0.02 |
| Octanal | 4.60 | 1255.5 | 0.12 | 4.23 | 1004.1 | 0.12 |
| Δ3-Carene | 2.75 | 1113.4 | 0.01 | 4.29 | 1008.1 | 0.01 |
| α-Terpinene | 3.13 | 1142.9 | 0.19 | 4.40 | 1015.2 | 0.19 |
| para-Cymene | 4.27 | 1231.2 | 0.14 | 4.54 | 1023.7 | 0.12 |
| Limonene | 3.38 | 1162.4 | 2.66 | 4.64* | 1030.0 | [36.23] |
| 1,8-Cineole | 3.51* | 1172.5 | [33.54] | 4.64* | 1030.0 | [36.23] |
| (Z)-β-Ocimene | 3.96 | 1207.7 | 0.03 | 4.81 | 1040.9 | 0.03 |
| (E)-β-Ocimene | 4.16 | 1222.8 | 0.08 | 4.96 | 1050.5 | 0.07 |
| γ-Terpinene | 3.99 | 1210.0 | 0.40 | 5.08 | 1057.7 | 0.39 |
| cis-Sabinene hydrate | 7.03* | 1426.4 | [0.73] | 5.21 | 1065.7 | 0.40 |
| cis-Linalool oxide (fur.) | 6.67 | 1399.4 | 0.01 | 5.29 | 1071.0 | 0.01 |
| Octanol | 8.43* | 1531.6 | [0.03] | 5.39 | 1077.1 | 0.04 |
| Terpinolene | 4.47 | 1246.0 | 0.15 | 5.54 | 1086.4 | 0.15 |
| 6,7-Epoxymyrcene | 6.24 | 1368.4 | 0.04 | 5.66 | 1093.8 | 0.04 |
| trans-Sabinene hydrate | 8.09 | 1505.5 | 0.25 | 5.69 | 1096.1 | 0.24 |
| Linalool | 8.20 | 1514.1 | 2.58 | 5.80 | 1102.9 | 2.55 |
| (E)-4,8-Dimethyl-1,3,7-nonatriene | 4.97 | 1283.6 | 0.08 | 6.05* | 1119.0 | [0.13] |
| cis-para-Menth-2-en-1-ol | 8.26 | 1518.4 | 0.04 | 6.05* | 1119.0 | [0.13] |
| cis-Limonene oxide | 6.60 | 1394.0 | 0.01 | 6.23 | 1130.2 | 0.01 |
| trans-para-Menth-2- | 9.09 | 1583.3 | 0.03 | 6.35 | 1138.2 | 0.03 |

| | | | | | | |
|---|--------|--------|---------|--------|--------|--------|
| en-1-ol | | | | | | |
| Borneol | 9.94* | 1651.5 | [39.09] | 6.74 | 1162.8 | 0.02 |
| δ-Terpineol | 9.63*† | 1626.4 | [0.30] | 6.77 | 1165.1 | 0.10 |
| Terpinen-4-ol | 8.72 | 1554.3 | 0.93 | 6.92 | 1174.3 | 0.94 |
| para-Cymen-8-ol | 11.64 | 1794.3 | 0.01 | 7.06 | 1183.3 | 0.02 |
| α-Terpineol | 9.94* | 1651.5 | [39.09] | 7.15 | 1189.1 | 1.38 |
| cis-Piperitol | 9.68 | 1630.8 | 0.01 | 7.23* | 1194.4 | [0.09] |
| (4Z)-Decenal | 7.97 | 1496.5 | 0.04 | 7.23* | 1194.4 | [0.09] |
| Decanal | 7.48 | 1460.0 | 0.03 | 7.42 | 1206.8 | 0.04 |
| Octyl acetate | 7.26 | 1443.4 | 0.07 | 7.56 | 1215.6 | 0.05 |
| cis-Sabinene hydrate acetate? | 7.03* | 1426.4 | [0.73] | 7.59 | 1218.1 | 0.34 |
| exo-2-Hydroxcineole | 11.79* | 1807.6 | [0.04] | 7.64 | 1221.1 | 0.01 |
| cis-Carveol | 11.84 | 1811.8 | 0.02 | 7.78 | 1230.5 | 0.02 |
| Neral | 9.63*† | 1626.4 | [0.30] | 7.91 | 1239.4 | 0.27 |
| (2E)-Decenal | 9.24 | 1594.9 | 0.01 | 8.20* | 1259.0 | [5.63] |
| Geraniol | 11.75 | 1803.8 | 0.97 | 8.20* | 1259.0 | [5.63] |
| Linalyl acetate | 8.30 | 1522.0 | 4.69 | 8.20* | 1259.0 | [5.63] |
| Geranial | 10.26 | 1677.7 | 0.39 | 8.37 | 1270.0 | 0.36 |
| Bornyl acetate | 8.43* | 1531.6 | [0.03] | 8.56 | 1282.8 | 0.03 |
| 2-Undecanone | 8.79 | 1560.2 | 0.03 | 8.75 | 1295.7 | 0.01 |
| (4E)-Undecenal | | | | 8.79 | 1298.1 | 0.03 |
| Terpinen-4-yl acetate | 8.91 | 1569.5 | 0.03 | 8.81 | 1299.7 | 0.03 |
| Geranyl formate | 10.07 | 1662.1 | 0.03 | 8.88 | 1304.0 | 0.02 |
| δ-Terpinyl acetate | 9.32 | 1601.5 | 0.17 | 9.03 | 1315.0 | 0.17 |
| Methyl geranate | 9.94* | 1651.5 | [39.09] | 9.17 | 1325.1 | 0.06 |
| δ-Elemene | 7.18 | 1437.2 | 0.04 | 9.33 | 1335.8 | 0.02 |
| α-Terpinyl acetate | 9.94* | 1651.5 | [39.09] | 9.56 | 1352.4 | 37.83 |
| Neryl acetate | 10.35 | 1685.2 | 0.04 | 9.76 | 1366.8 | 0.02 |
| Geranyl acetate | 10.72 | 1716.0 | 0.50 | 10.03 | 1385.4 | 0.48 |
| Dodecenyl acetate isomer? | | | | 10.07 | 1388.3 | 0.04 |
| Dodecenal isomer | | | | 10.09* | 1390.0 | [0.09] |
| β-Elemene | 8.64* | 1548.6 | [0.09] | 10.09* | 1390.0 | [0.09] |
| β-Caryophyllene | 8.64* | 1548.6 | [0.09] | 10.42 | 1413.4 | 0.05 |
| α-Terpinyl propionate | 10.62* | 1707.0 | [0.21] | 10.69 | 1433.9 | 0.07 |
| Unknown ELCA I [m/z 43, 109 (35), 96 (23), 93 (22), 137 (21), 81 (20)...204 (5)] | | | | 10.89 | 1448.3 | 0.03 |
| Geranylacetone | 11.79* | 1807.6 | [0.04] | 10.95 | 1452.8 | 0.02 |
| 8-Acetoxy-trans- | 15.27 | 2131.5 | 0.01 | 11.00 | 1456.6 | 0.02 |

| | | | | | |
|--|--------|--------|--------|--------|---------------|
| <i>para</i> -Menth-2-en-1-ol [2-(4-Hydroxy-4-methylcyclohex-2-enyl)propan-2-yl acetate] | | | | | |
| Unknown ELCA XVII [m/z 43, 109 (32), 41 (22), 69 (21)...] | | | 11.05 | 1460.2 | 0.01 |
| Geranyl propionate | 11.49 | 1781.2 | 0.01 | 11.25* | 1475.6 [0.09] |
| Germacrene D | 10.02 | 1658.5 | 0.08 | 11.25* | 1475.6 [0.09] |
| β -Selinene | 10.10 | 1664.8 | 0.31 | 11.31 | 1480.0 0.29 |
| α -Selinene | 10.17* | 1670.5 | [0.12] | 11.44 | 1489.4 0.11 |
| Unknown ELCA VIII [m/z 150, 82 (86), 43 (59), 135 (58), 110 (53), 95 (45), 69 (29)...] | | | 11.56 | 1498.4 | 0.04 |
| δ -Amorphene | 10.17* | 1670.5 | [0.12] | 11.62 | 1503.0 0.03 |
| γ -Cadinene | 10.62* | 1707.0 | [0.21] | 11.70 | 1509.1 0.13 |
| δ -Cadinene | 10.62* | 1707.0 | [0.21] | 11.87 | 1522.6 0.02 |
| Germacrene B | 11.33 | 1767.7 | 0.08 | 12.21 | 1549.5 0.08 |
| (E)-Nerolidol | 13.94 | 2001.9 | 0.64 | 12.40 | 1564.1 0.67 |
| Dendrolasin | 12.71 | 1889.2 | 0.02 | 12.52 | 1573.8 0.01 |
| (3E,7E)-4,8,12-Trimethyl-1,3,7,11-tridecatetraene | 11.43 | 1775.9 | 0.10 | 12.60 | 1580.1 0.12 |
| Unknown JUVI XVI [m/z 43, 81 (84), 41 (64), 67 (62), 95 (58), 79 (58)... 204 (48), 220 (2)] | 15.56 | 2161.1 | 0.01 | 13.47 | 1650.4 0.01 |
| (2E,6Z)-Farnesal | 15.53 | 2158.1 | 0.02 | 14.21 | 1712.4 0.02 |
| (2E,6E)-Farnesol | 16.95 | 2304.5 | 0.06 | 14.33 | 1722.4 0.04 |
| (2E,6E)-Farnesal | 15.98 | 2203.5 | 0.03 | 14.53 | 1740.1 0.04 |
| γ -Bicyclohomofarnesal | | | 15.06 | 1785.8 | 0.02 |
| (2E,6E)-Farnesyl acetate | 16.12 | 2217.0 | 0.02 | 15.68 | 1841.4 0.02 |
| Coronarin E | 19.95 | 2641.7 | 0.03 | 18.48 | 2109.4 0.03 |
| Total reported | | 99.45% | | 99.76% | |
| | | | | | |

*: Two or more compounds are coeluting on this column

[xx]: Duplicate percentage due to coelutions, only the first one is taken into account in the consolidated total

†: Peaks apexes were resolved, but peaks overlapped and were summed for analysis

tr: The compound has been detected below 0.005% of total signal.

Essential Oil, *Elettaria cardamomum*
Internal code: 24K12-PTH02

Cardamom - Guatemala - CA311R

Report prepared for:
Plant Therapy

Note: no correction factor was applied
R.T.: Retention time (minutes)
R.I.: Retention index

Laboratoire
PhytoChemia

Plus que des analyses... des conseils

Page 12/12