

Date : 2025-02-10

CERTIFICATE OF ANALYSIS - GC PROFILING

SAMPLE IDENTIFICATION

Internal code : 25A27-PTH06

Customer Identification : Catnip - Canada - CW0108R

Type : Essential Oil

Source : *Nepeta cataria*

Customer : Plant Therapy

Checked and approved by:

Sylvain Mercier, M. Sc., Chimiste 2014-005

Notes: This report may not be published, including online, without the written consent from Laboratoire PhytoChemia. This report is digitally signed, it is only considered valid if the digital signature is intact. The results only describe the samples that were submitted to the assays.



GAS CHROMATOGRAPHIC ANALYSIS

Method : PC-MAT-014 - Analysis of the composition of an essential oil or other volatile liquid by FAST GC-FID



Results : See analysis summary (next page)

Analyst : Sylvain Mercier, M. Sc., Chimiste 2014-005

Date : 2025-02-04

PHYSICOCHEMICAL DATA

Refractive index : 1.488 ± 0.0003 (20 °C)

Method : PC-MAT-016 - Measure of the refractive index of a liquid.

Analyst : Cindy Caron B. Sc.

Date : 2025-01-28

CONCLUSION

No adulterant, contaminant or diluent has been detected using this method.

ANALYSIS SUMMARY - CONSOLIDATED CONTENTS

New readers of similar reports are encouraged to read table footnotes at least once.

Identification	%	Class
Dimethylsulfide	0.01	Aliphatic sulfide
Isobutyral	0.01	Aliphatic aldehyde
Acetic acid	tr	Aliphatic acid
Isovaleral	0.05	Aliphatic aldehyde
2-Methylbutyral	0.05	Aliphatic aldehyde
3-Pentanone	0.03	Aliphatic ketone
2-Ethylfuran	0.05	Furan
Senecionitrile	0.43	Aliphatic nitrile
Methyl 2-methylbutyrate	0.02	Aliphatic ester
Hexanal	0.01	Aliphatic aldehyde
Octane	0.01	Alkane
Dimethyl sulfoxide	tr	Aliphatic sulfoxide
Furfural	0.01	Furan
(2E)-Hexenal	0.14	Aliphatic aldehyde
(3Z)-Hexenol	0.02	Aliphatic alcohol
Styrene	0.03	Simple phenolic
α-Thujene	0.02	Monoterpene
α-Pinene	0.83	Monoterpene
Camphepane	0.03	Monoterpene
β-Pinene	0.52	Monoterpene
Sabinene	0.07	Monoterpene
3-Butenyl isothiocyanate	0.02	Aliphatic thioester
6-Methyl-5-hepten-2-one	0.02	Aliphatic ketone
2-Pentylfuran	0.02	Furan
Myrcene	0.01	Monoterpene
α-Phellandrene	0.06	Monoterpene
α-Terpinene	0.02	Monoterpene
para-Cymene	0.04	Monoterpene
Limonene	0.22	Monoterpene
β-Phellandrene	0.02	Monoterpene
(Z)-β-Ocimene	0.05	Monoterpene
(E)-β-Ocimene	0.13	Monoterpene
γ-Terpinene	0.03	Monoterpene
Terpinolene isomer	0.01	Monoterpene
Terpinolene	0.01	Monoterpene
Linalool	0.04	Monoterpenic alcohol
Nonanal	0.03	Aliphatic aldehyde
Unknown	0.01	Unknown
Terpinen-4-ol	0.03	Monoterpenic alcohol
Dill ether	0.03	Monoterpenic ether

Methyl salicylate	0.09	Phenolic ester
cis-Dihydrocarvone	0.02	Monoterpenic ketone
Hexyl butyrate	0.02	Aliphatic ester
Dihydrocarveol	0.01	Monoterpenic alcohol
Unknown	0.38	Oxygenated monoterpane
β-Cyclocitral	0.03	Monoterpenic aldehyde
(3Z)-Hexenyl isovalerate	0.02	Aliphatic ester
Neral	0.02	Monoterpenic aldehyde
Carvone	0.34	Monoterpenic ketone
(2E)-Decenal	0.02	Aliphatic aldehyde
Geranal	0.02	Monoterpenic aldehyde
Bornyl acetate	0.04	Monoterpenic ester
Tridecane	0.04	Alkane
4α,7α,7α-Nepetalactone	16.89	Monoterpenic lactone
Eugenol	0.05	Phenylpropanoid
Nepetalactone isomer I	0.43	Unknown
4α,7α,7αβ-Nepetalactone	52.09	Monoterpenic lactone
4α,7β,7αα-Nepetalactone	1.11	Monoterpenic lactone
Isocaryophyllene	0.19	Sesquiterpene
Isodihydronepetalactone	0.05	Monoterpenic lactone
β-Caryophyllene	5.64	Sesquiterpene
Nepetalactone analog I	0.38	Monoterpenic lactone
Unknown	0.03	Unknown
α-Humulene	0.48	Sesquiterpene
Unknown	0.04	Unknown
(E)-β-Farnesene	0.26	Sesquiterpene
(E)-β-Ionone	0.03	Apocarotenoid
Unknown catnip acid I [m/z 96, 87 (87), 81 (78), 109 (55), 41 (43), 55 (37)...]	0.24	Monoterpenic acid
Unknown catnip acid II [m/z 81, 109 (98), 96 (77), 87 (71), 67 (50), 41 (47)]	0.63	Monoterpenic acid
β-Bisabolene	0.10	Sesquiterpene
Isocaryophyllene epoxide B	0.01	Sesquiterpenic ether
Unknown catnip acid III [m/z 96, 81 (82), 87 (80), 67 (48), 109 (43), 58 (39)... 166 (14)]	3.28	Monoterpenic acid
Hexenyl benzoate isomer	0.15	Phenolic ester
(E)-Nerolidol	0.06	Sesquiterpenic alcohol
Nepetalactone analog VII	0.04	Monoterpenic lactone
Caryophyllene oxide	0.61	Sesquiterpenic ether
Humulene epoxide II	0.04	Sesquiterpenic ether
Unknown	0.11	Unknown
Unknown	0.07	Unknown
Nepetalactone analog II	0.04	Monoterpenic lactone
Unknown	0.07	Unknown
Unknown	0.12	Unknown

Unknown	1.10	Unknown
Unknown	0.23	Unknown
Unknown	0.35	Unknown
Unknown	2.15	Unknown
Unknown	0.36	Unknown
Unknown	0.14	Unknown
Unknown	0.04	Unknown
Phytone	0.09	Terpenic ketone
Hexahydrofarnesyl acetone	0.03	Terpene derivative
Nepetalactone analog III	0.16	Monoterpenic lactone
Unknown	0.18	Unknown
Unknown	0.76	Unknown
Unknown	0.27	Unknown
Nepetalactone analog IV	0.03	Monoterpenic lactone
Nepetalactone analog V	0.06	Aliphatic lactone
Nepetalactone analog VI	0.06	Monoterpenic lactone
Unknown	0.10	Unknown
Unknown	0.19	Unknown
Unknown	0.03	Unknown
Unknown	0.04	Unknown
Unknown	0.01	Unknown
Unknown	0.04	Unknown
Unknown	0.05	Unknown
Unknown	0.01	Unknown
Unknown	0.07	Unknown
Unknown	0.04	Unknown
Unknown	0.24	Unknown
Unknown NECA XLIV [m/z 81, 167 (94), 168 (12), 67 (12), 55 (11)...]	0.24	Unknown
Unknown	0.07	Unknown
Unknown NECA XLI [m/z 167, 81 (45), 168 (12), 123 (10), 67 (6)...]	0.26	Unknown
Unknown NECA XXXIX [m/z 81, 167 (76), 110 (13), 82 (11), 41 (10)...]	0.63	Unknown
Unknown NECA XXXVIII [m/z 167, 81 (48), 168 (11), 123 (11)...]	0.59	Unknown
Unknown NECA XLII [m/z 167, 81 (53), 168 (12), 123 (8)...]	0.48	Unknown
Unknown NECA XL [m/z 167, 81 (52), 168 (12), 123 (11), 67 (8)...]	0.58	Unknown
Unknown NECA XLIII [m/z 167, 81 (45), 168 (11), 123 (9)...]	0.09	Unknown
Consolidated total	97.21	

tr: The compound has been detected below 0.005% of the total signal

Note: no correction factor was applied

Essential Oil, *Nepeta cataria*
Internal code: 25A27-PTH06

Catnip - Canada - CW0108R

Report prepared for:
Plant Therapy


About "consolidated" data: The table above presents the breakdown of the sample volatile constituents after applying an algorithm to collapse data acquired from the multi-columns system of PhytoChemia into a single set of consolidated contents. In case of discrepancies between columns, the algorithm is set to prioritize data from the most standard DB-5 column, and smallest values so as to avoid overestimating individual content. This process is semi-automatic. Advanced users are invited to consult the "Full analysis data" table after the chromatograms in this report to access the full untreated data and perform their own calculations if needed.

Unknowns: Unknown compounds' mass spectral data is presented in the "Full analysis data" table. The occurrence of unknown compounds is to be expected in many samples, and does not denote particular problems unless noted otherwise in the conclusion.

Bracketed value ([xx]): A bracketed percent value indicate that two or more compound percentage could not be solved due to coelution.


This page was intentionally left blank. The following pages present the complete data of the analysis.

DB-WAX



Laboratoire
PhytoChemia

Plus que des analyses... des conseils



FULL ANALYSIS DATA

Dimethylsulfide	Column DB-WAX			Column DB-5		
	0.40	708.8	0.01	0.38	499.2	0.01
Isobutyral	0.48*	779.3	[0.03]	0.44	534.0	0.01
Acetic acid	6.45	1410.4	0.01	0.52	605.0	tr
Isovaleral	0.72	885.0	0.05	0.62	638.9	0.05
2-Methylbutyral	0.70	878.1	0.04	0.65	648.9	0.05
3-Pentanone	0.98	937.8	0.04	0.77	691.8	0.03
2-Ethylfuran	0.87	917.7	0.05	0.79	699.4	0.05
Senecionitrile	3.94*	1227.0	[0.51]	1.15	753.3	0.43
Methyl 2-methylbutyrate	1.20	975.5	0.02	1.29	772.9	0.02
Hexanal	1.77	1043.1	0.02	1.47	798.4	0.01
Octane	0.48*	779.3	[0.03]	1.49	801.8	0.01
Dimethyl sulfoxide				1.77*	826.2	[0.01]
Furfural	6.50	1413.9	0.01	1.77*	826.2	[0.01]
(2E)-Hexenal	3.23	1172.3	0.17	2.03	847.9	0.14
(3Z)-Hexenol	5.63	1351.7	0.02	2.14	856.8	0.02
Styrene	3.71	1209.5	0.03	2.49	886.4	0.03
α-Thujene	1.33	998.0	0.01	3.02	925.5	0.02
α-Pinene	1.27	987.8	0.86	3.10	930.3	0.83
Camphene	1.59	1024.9	0.03	3.29	943.0	0.03
β-Pinene	1.97	1063.2	0.52	3.71*	971.2	[0.56]
Sabinene	2.14	1081.5	0.07	3.71*	971.2	[0.56]
3-Butenyl isothiocyanate	6.40	1406.6	0.02	3.85	980.3	0.02
6-Methyl-5-hepten-2-one	4.89*	1297.5	[0.05]	3.95	986.8	0.02
2-Pentylfuran	3.53	1195.9	0.02	4.03*	992.4	[0.02]
Myrcene	2.73	1132.0	0.01	4.03*	992.4	[0.02]
α-Phellandrene	2.63	1123.9	0.05	4.17	1001.8	0.06
α-Terpinene	2.80	1137.6	0.02	4.37	1014.3	0.02
para-Cymene	3.94*	1227.0	[0.51]	4.49	1021.8	0.04
Limonene	3.02	1155.1	0.22	4.56*	1026.2	[0.23]
β-Phellandrene	3.11	1162.3	0.02	4.56*	1026.2	[0.23]
(Z)-β-Ocimene	3.61	1202.5	0.06	4.78	1039.9	0.05
(E)-β-Ocimene	3.81	1217.2	0.15	4.93	1049.7	0.13
γ-Terpinene	3.63	1203.7	0.02	5.05	1057.1	0.03
Terpinolene isomer	4.10	1238.4	0.01	5.42	1080.2	0.01
Terpinolene	4.07	1236.5	0.01	5.51	1086.0	0.01
Linalool	7.90	1518.5	0.06	5.76	1101.8	0.04
Nonanal	5.69	1355.6	0.03	5.81	1104.5	0.03
Unknown COGU I [m/z 95, 123 (73), 67 (64), 82 (54), 41 (47), 55 (27)...]				6.20	1129.8	0.01
Terpinen-4-ol	8.38	1555.6	0.03	6.89	1173.6	0.03
Dill ether	7.09	1458.2	0.04	6.99	1180.2	0.03

Laboratoire
PhytoChemia

Plus que des analyses... des conseils

Methyl salicylate	10.21	1702.8	0.10	7.12	1188.8	0.09
cis-Dihydrocarvone	8.27	1547.3	0.02	7.17	1191.9	0.02
Hexyl butyrate	6.11	1385.8	0.02	7.22	1194.6	0.02
Dihydrocarveol	10.17	1698.7	0.01	7.27	1197.9	0.01
Unknown VAWA X [m/z 123, 138 (67), 81 (60), 95 (42), 67 (41), 80 (33)]	8.92	1597.9	0.41	7.45	1209.6	0.38
β-Cyclocitral	8.41	1558.6	0.01	7.52	1214.5	0.03
(3Z)-Hexenyl isovalerate	6.86	1440.8	0.02	7.82	1234.8	0.02
Neral	9.27	1626.0	0.02	7.88*	1238.5	[0.34]
Carvone	9.78	1667.3	0.34	7.88*	1238.5	[0.34]
(2E)-Decenal	8.85	1592.5	0.01	8.24	1263.1	0.02
Geranial	9.90	1676.8	0.02	8.34	1269.3	0.02
Bornyl acetate	8.02	1528.5	0.04	8.53	1282.1	0.04
Tridecane	4.89*	1297.5	[0.05]	8.84	1303.2	0.04
4aa,7a,7aa-Nepetalactone	12.43	1895.5	16.89	9.60*	1356.7	[16.72]
Eugenol	14.58	2098.5	0.05	9.60*	1356.7	[16.72]
Nepetalactone isomer I				9.74	1366.6	0.43
4aa,7a,7aβ-Nepetalactone	13.02	1949.5	53.00	10.07	1389.5	52.09
4aa,7β,7aa-Nepetalactone	13.20	1966.1	1.19	10.08	1390.6	1.11
Isocaryophyllene	7.94	1521.6	0.20	10.24	1401.8	0.19
Isodihydronepetalactone	13.78	2021.1	0.07	10.32	1407.4	0.05
β-Caryophyllene	8.19	1541.1	5.80	10.41	1414.4	5.64
Nepetalactone analog I	11.97	1854.6	0.33	10.64	1431.1	0.38
Unknown NECA XXXIV [m/z 57, 71 (93), 43 (87), 85 (48), 41 (40), 81 (36), 55 (30)...]				10.73	1438.0	0.03
α-Humulene	9.03	1606.8	0.49	10.85	1447.2	0.48
Unknown NECA III [m/z 57, 71 (92), 43 (69), 85 (49), 41 (31), 55 (23)...]				10.92	1452.2	0.04
(E)-β-Farnesene	9.32	1630.1	0.27	11.00	1458.0	0.26
(E)-β-Ionone	12.19	1874.0	0.06	11.31	1481.6	0.03
Unknown catnip acid I [m/z 96, 87 (87), 81 (78), 109 (55), 41 (43), 55 (37)...]				11.40	1488.0	0.24
Unknown catnip acid II [m/z 81, 109 (98), 96 (77), 87 (71), 67 (50), 41 (47)]	20.24*	2727.5	[3.87]	11.66*	1507.4	[0.74]
β-Bisabolene	9.94	1680.6	0.10	11.66*	1507.4	[0.74]

Isocaryophyllene epoxide B	11.89	1847.1	0.05	12.09	1541.7	0.01
Unknown catnip acid III [m/z 96, 81 (82), 87 (80), 67 (48), 109 (43), 58 (39)... 166 (14)]	20.24*	2727.5	[3.87]	12.23	1552.3	3.28
Hexenyl benzoate isomer	14.02	2044.3	0.02	12.32	1559.5	0.15
(E)-Nerolidol	13.55	1999.6	0.04	12.38	1563.9	0.06
Nepetalactone analog VII				12.40	1566.1	0.04
Caryophyllene oxide	12.53	1904.4	0.61	12.50	1573.8	0.61
Humulene epoxide II	13.12	1958.8	0.05	12.83	1599.6	0.04
Unknown NECA IV [m/z 81, 95 (42), 43 (41), 137 (40), 123 (35), 41 (34)...]				13.48	1652.7	0.11
Unknown NECA V [m/z 81, 43 (84), 166 (84), 109 (74), 71 (58), 41 (58)...]				13.71	1671.6	0.07
Nepetalactone analog II				13.75	1675.5	0.04
Unknown NECA VI [m/z 81, 109 (68), 41 (57), 69 (53), 167 (36), 67 (31)...]				14.19	1711.8	0.07
Unknown NECA VII [m/z 153, 82 (85), 43 (81), 67 (69), 81 (46)...]				14.55	1743.6	0.12
Unknown NECA IX [m/z 82, 81 (67), 67 (64), 55 (42), 167 (39), 41 (24), 83 (23)...]	16.09	2253.4	1.21	15.20	1799.3	1.10
Unknown NECA X [m/z 81, 96 (74), 43 (57), 87 (50), 109 (46), 166 (43)...]				15.23	1802.3	0.23
Unknown NECA XI [m/z 81, 109 (56), 55 (56), 41 (40), 82 (36), 67 (35)...]				15.26	1804.5	0.35
Unknown NECA XII [m/z 82, 81 (68), 67 (65), 55 (46), 167 (34)...]	16.31	2275.9	1.59	15.32	1810.4	2.15
Unknown NECA XIII [m/z 81, 166 (95), 109 (80), 43 (64), 96 (51), 87 (41)...]	15.83	2225.9	0.35	15.36	1814.4	0.36
Unknown NECA XIV [m/z 82, 81 (64), 67 (61), 55 (37), 41 (24), 167 (23)...]				15.44	1821.2	0.14
Unknown NECA XXIX				15.50	1827.1	0.04

[m/z 81, 166 (64), 109 (60), 43 (55), 55 (45), 96 (43), 41 (42)...]					
Phytone	14.45	2086.5	0.09	15.70	1844.7
Hexahydrofarnesyl acetone	14.30	2071.8	0.01	15.75	1849.7
Nepetalactone analog III				15.80	1854.1
Unknown NECA XV [m/z 82, 81 (73), 67 (50), 55 (49), 83 (46), 41 (35)...]				16.15	1886.3
Unknown NECA XVII					
[m/z 82, 81 (65), 83 (47), 55 (42), 67 (41), 167 (38)...]	19.13	2592.8	0.88	16.93	1959.6
Unknown NECA XVIII				16.96	1961.9
[m/z 82, 81 (76), 83 (45), 55 (39), 167 (36), 67 (30)...]					
Nepetalactone analog IV				17.52	2016.1
Nepetalactone analog V				17.59	2023.2
Nepetalactone analog VI				17.79	2042.5
Unknown NECA XIX [m/z 93, 81 (59), 69 (52), 121 (38), 80 (35), 41 (33)...]				18.02	2065.1
Unknown NECA XX [m/z 93, 69 (55), 81 (52), 80 (41), 121 (35), 41 (28)...]	19.08	2586.5	0.24	18.12	2075.7
Unknown NECA XXI [m/z 81, 69 (68), 41 (64), 55 (57), 67 (51), 43 (42)...]				18.74	2138.5
Unknown NECA XXII					
[m/z 69, 81 (98), 93 (92), 41 (55), 80 (52), 68 (43)...]				18.81	2145.7
Unknown NECA XXIII					
[m/z 81, 69 (63), 41 (49), 95 (49), 55 (48), 67 (45)...]				18.86	2150.7
Unknown NECA XXIV					
[m/z 69, 81 (80), 93 (65), 41 (49), 80 (42), 121 (40)...]				19.17	2183.0
Unknown NECA XXV					
[m/z 81, 93 (68), 69 (61), 83 (48), 41 (47), 67 (42)...]				19.55	2223.6
Unknown NECA XXXI					
[m/z 81, 43 (86), 44 (67),				20.16	2289.1

166 (58), 55 (57), 67 (55)...				
Unknown NECA XXVI [m/z 81, 91 (64), 131 (54), 120 (38), 195 (32), 41 (31)...		20.48	2324.0	0.07
Unknown NECA XXVII [m/z 81, 166 (96), 55 (62), 69 (52), 109 (51), 41 (50)...		20.65	2344.0	0.04
Unknown NECA XXXII [m/z 81, 167 (96), 166 (23), 123 (19), 43 (17), 55 (17)...		21.49	2438.8	0.24
Unknown NECA XLIV [m/z 81, 167 (94), 168 (12), 67 (12), 55 (11)...		21.81	2476.2	0.24
Unknown NECA XXXIII [m/z 81, 167 (44), 91 (31), 131 (29), 93 (27), 105 (26), 146 (26)...		22.03	2502.6	0.07
Unknown NECA XLI [m/z 167, 81 (45), 168 (12), 123 (10), 67 (6)...		22.26	2529.9	0.26
Unknown NECA XXXIX [m/z 81, 167 (76), 110 (13), 82 (11), 41 (10)...		22.57	2568.1	0.63
Unknown NECA XXXVIII [m/z 167, 81 (48), 168 (11), 123 (11)...		22.79	2594.0	0.59
Unknown NECA XLII [m/z 167, 81 (53), 168 (12), 123 (8)...		23.25	2651.0	0.48
Unknown NECA XL [m/z 167, 81 (52), 168 (12), 123 (11), 67 (8)...		23.32	2659.6	0.58
Unknown NECA XLIII [m/z 167, 81 (45), 168 (11), 123 (9)...		23.36	2664.9	0.09
Total reported	91.81%		96.93%	

*: Two or more compounds are coeluting on this column

[xx]: Duplicate percentage due to coelutions, only the first one is taken into account in the consolidated total

†: Peaks apexes were resolved, but peaks overlapped and were summed for analysis

tr: The compound has been detected below 0.005% of total signal.

Essential Oil, *Nepeta cataria*
Internal code: 25A27-PTH06

Catnip - Canada - CW0108R

Report prepared for:
Plant Therapy

Note: no correction factor was applied
R.T.: Retention time (minutes)
R.I.: Retention index

Laboratoire
PhytoChemia

Plus que des analyses... des conseils

Page 15/15